



Name: _____

MATH 126 (Winter, 2014)

Term Test 1

by George Ballinger

Answer the questions in the space provided.
This test has 16 questions for a total of 25 marks.

1. (2 marks) Construct a truth table for the proposition $(p \rightarrow q) \wedge (p \vee \neg q)$.

p	q				$(p \rightarrow q) \wedge (p \vee \neg q)$
T	T				
T	F				
F	T				
F	F				

2. (1 mark) Which of the following propositions is a contradiction? Circle your answer. No justification is required.

(i) $p \wedge p$ (ii) $p \vee p$ (iii) $p \oplus p$ (iv) $p \rightarrow p$ (v) $p \leftrightarrow p$ (vi) $\neg p$

3. (1 mark) Find a compound proposition involving the propositional variables p , q and r that is true when p , q and r are all false but is false otherwise.

4. (1 mark) Write the statement, “I will graduate only if I pass this course,” in the form, “If . . . , then”

5. (1 mark) Write the **converse** of the statement, “For a function to be differentiable it is necessary that it be continuous.”

6. (1 mark) Write the negation of the statement, “If I travel overseas, then I get sick.” (Do not simply use words like “It is not the case that”)

7. (2 marks) Using a proof by contradiction, show that there does not exist a smallest positive rational number.

8. (3 marks) Let m and n be integers. Use a proof by contraposition to prove the statement, “If mn is even, then either m is even or n is even.”

9. (2 marks) Using only the logical equivalences listed on the “Logical Equivalences” supplement, prove $\neg(p \wedge \neg q) \vee q \equiv p \rightarrow q$. At each step identify the logical equivalence being used.
10. (2 marks) Define $P(x, y)$ to be, “student x got question y correct,” where the domain for x is the set of students and the domain for y is the set of questions on a test.
- (a) Write the following sentence symbolically using quantifiers: “Every student got at least one question correct.”
- (b) Write the negation of the sentence from part (a) symbolically so that no negation symbols appear outside (i.e. in front of) a quantifier and then translate this negation back into English. (Do not simply use words like “It is not the case that ...”)
11. (1 mark) Let $P(x)$ be a propositional function. Recall that $\exists!xP(x)$ means “there exists a unique x such that $P(x)$.” Rewrite $\exists!xP(x)$ by using only existential and universal quantifiers instead of the uniqueness quantifier $\exists!$.

13. (1 mark) Suppose A is a set and $\mathcal{P}(A)$ is its power set. Which one of the following is generally not true, where \emptyset denotes the empty set? Circle your answer. No justification is required.

(i) $\emptyset \in \mathcal{P}(A)$ (ii) $\emptyset \subseteq \mathcal{P}(A)$ (iii) $\emptyset \subset \mathcal{P}(A)$ (iv) $A \in \mathcal{P}(A)$ (v) $A \subseteq \mathcal{P}(A)$ (vi) $\mathcal{P}(A) \subseteq \mathcal{P}(A)$

14. (1 mark) Suppose A , B and C are finite sets satisfying the following: $|A| = 8$, $|B| = 7$, $|C| = 6$, $|A \cap B| = 5$, $|A \cap C| = 4$, $|B \cap C| = 3$ and $|A \cap B \cap C| = 2$. Find $|A \cup B \cup C|$.

15. (1 mark) For each positive integer i , define the open interval A_i by

$$A_i = (0, 1/i) = \{x \in \mathbb{R} \mid 0 < x < 1/i\}.$$

In other words, $A_1 = (0, 1)$, $A_2 = (0, 1/2)$, $A_3 = (0, 1/3)$, etc. Find

$$\bigcup_{i=1}^{\infty} A_i = \text{_____} \qquad \bigcap_{i=1}^{\infty} A_i = \text{_____}.$$

16. (2 marks) Let A and B be sets. Prove that if $A \cap B = A$, then $A \subseteq B$.